

NUMATIC AIRBO

October 2026

SOLUTIONS FOR DUST-FREE WORKING

AIRBO

Numatic



AIRBO®

AIRBO

Protects your health



AIRBO offers a range of innovative tools and practical solutions designed to reduce physical strain on construction workers and protect their health. By listening carefully to users, we understand what happens on the job site.

Over the past few years, we have gained extensive practical knowledge and valuable first-hand experience. From contractors to parquet floor installers, and from tilers to painters: at AIRBO we understand the conditions that generate large quantities of dust, how to prevent this and which materials users need.

Working with various industry partners and knowledge centres, we translate this expertise into practical, user-friendly products that comply with the strictest statutory standards. AIRBO offers a broad range of products that make users' work easier and more efficient, filter hazardous wood and silica dust, and thereby protect users' health.

Because at AIRBO we believe one thing above all: your most important tool is yourself.

Why AIRBO?

- The specialist in dust-control solutions
- A wide range of powerful and safe machines
- On-site demonstrations available with our demonstration van
- A solution for every dust challenge
- Universal connections for different tools
- On-site advice



CONTENTS

The AIRBO range

Page 4	Dust-free working
Page 5	Vacuum cleaners:
	Office;
	Construction vacuum cleaners;
	Industrial vacuum cleaners
Page 13	Filtration
Page 14	Adapters
Page 15	Accessories for dust extraction
	at source
Page 16	Vacuum accessory kits
Page 17	Vacuum nozzles
Page 18	Pre-separators
Page 20	AIRBO vacuum cleaner sets:
	Eco motors with power socket;
	Bypass motors without power socket
Page 22	AIRBOX Pro
Page 24	Dust shrouds and extraction



For dust-free working,
consider clean air with the redesigned AIRBOX Pro.



Healthier working

Minimise the risk of occupational dust-related lung disease.

AIRBO construction vacuum cleaners help you work dust-free. Less fine dust means a healthier working environment.



Cleaner working

Klaar voor oplevering

Ready for handover. Dust-free working prevents dust contamination in the work area, leaving it ready for handover.



Faster working

More jobs in a single day.

No more wasting valuable time cleaning and tidying up, allowing you to complete more jobs each day.



Safer working

Better visibility improves accuracy.

Dust impairs your vision while working; dust-free working improves visibility, precision and safety.



DUST-FREE WORKING

It has never been easier

At AIRBO, we believe every construction professional should be able to work healthily, safely and without dust nuisance. Our products comply with all safety requirements and statutory standards, making truly dust-free working accessible to everyone.

The latest generation of AIRBO vacuum cleaners are among the healthiest and most powerful construction vacuum cleaners in their class. In combination with targeted extraction at source and the latest High Efficiency AIRBO pre-separators, you can work even longer with a single dust bag without losing suction power – and completely dust-free. Figuratively speaking, you could even bring your children to the job site with peace of mind*.

With the various available accessory kits, hose lengths and accessories, your AIRBO construction vacuum cleaner can be configured to suit your exact needs. We also specialise in bespoke solutions that make dust-free working possible in practice.

Our solutions are developed in response to real users' needs. You notice the difference immediately. In cooperation with organisations such as TNO and people working on site, we have developed exactly what is needed for more efficient, dust-free working. There is a dust-free solution for every type of job.



VACUUM CLEANER

Single motor

Office



Ideal for vacuuming:

- offices
- canteens
- construction
- site cabins
- schools



Type	Office
Item no.	901850
Kit	AST0
Colour	Black
Motor power	620 Watt
Voltage	230 V AC 50/60 HZ
Airflow	48L/sec
Suction	2300 mm/wk
Container capacity	9 litre
Dust bag type	NVM-1CH
Power cable lenght	12,5 m
Operating range	32 m
Weight	9 kg
Dimensions	360 x 370 x 415 mm

CONSTRUCTION VACUUM CLEANERS

Single motor

TEM390A-11



TEM390A-11

- Includes HEPA 13 (H13) filter
- Trolley model with folding handle
- Single 620 W Eco Engine motor
- Latest-generation motor: 50% quieter
- Extremely robust Structofoam container
- Built-in automatic tool-start function
- Blower function
- Supplied with 32 mm stainless-steel accessory kit



Optional: Storage box
Item no. 910402

Type	TEM390A-11
Item no.	910408
Kit	AS24
Colour	Graphite
Motor power	620 Watt
Voltage	230 V AC 50/60 HZ
Airflow	48L/sec
Suction	2300 mm/wk
Container capacity	15 litre
Dust bag type	NVM-2BH
Power cable lenght	28 m
Weight	14,3 kg
Dimensions	400 x 450 x 1010 mm
Filter class	HEPA 13



CONSTRUCTION VACUUM CLEANERS

Single motor bypass

NT570



NT570

- Filters hazardous wood and silica dust
- Single 1060 W motor
- Latest-generation TwinFlo bypass motor
- Extremely robust Structofoam container
- Supplied with 38 mm stainless-steel accessory kit



Type	NT570
Item no.	919197
Kit	BS30
Colour	Black
Motor power	1060 Watt
Voltage	230 V AC 50/60 HZ
Airflow	48L/sec
Suction	2600 mm/wk
Container capacity	23 liter
Dust bag type	NVM-3BH NVM-3BM
Power cable lenght	26 m
Weight	15,2 kg
Dimensions	415 x 415 x 645 mm

CONSTRUCTION VACUUM CLEANERS

2 motor NED-series

NED570A



NED570A

- Filters hazardous wood and silica dust
- Two motors: 2 × 620 W
- Latest-generation Eco Engine motors: 50% quieter
- Extremely robust 23-litre Structofoam container
- Built-in automatic tool-start function
- Convert the vacuum cleaner for extraction at source using kit ND5 (page 14)



NED570A with HE pre-separator set (page 20)

Type	NED570A
Item no.	918700
Kit	BS30
Colour	Black
Motor power	2x 620 Watt
Voltage	230 V 50/60 Hz
Airflow	96L/sec
Suction	2300 mm/wk
Container capacity	23 liter
Dust bag type	NVM-3BH NVM-3BM
Power cable lenght	26 m
Weight	20 kg
Dimensions	415 x 415 x 645 mm

CONSTRUCTION VACUUM CLEANERS

2-motorige NED-serie



NED900A



De NED900A

- Filters hazardous wood and silica dust
- Two motors: 2 × 620 W
- Latest-generation Eco Engine motors: 50% quieter
- Extremely robust 40-litre Structofoam container
- Built-in automatic tool-start function
- Convert the vacuum cleaner for extraction at source using kit ND5 (page 14)



NED900A with HE pre-separator set (page 20)

Type	NED900A
Item no.	918701
Kit	BS30
Colour	Black
Motor power	2x 620 Watt
Voltage	230 V 50/60 Hz
Airflow	96L/sec
Suction	2300 mm/wk
Container capacity	40 litre
Dust bag type	NVM-4BH NVM-4BM
Power cable lenght	26 m
Weight	24 kg
Dimensions	800 x 490 x 880 mm

CONSTRUCTION VACUUM CLEANERS

Two-motor NTD-series



NTD570



NTD570

- Filters hazardous wood and silica dust
- Two motors: 2 × 1060 W
- Extremely robust 23-litre Structofoam container
- Designed for prolonged, extremely intensive use thanks to additional cooling fins
- Convert for extraction at source using kit ND5



Type	NTD570
Item no.	908702
Kit	BS30
Colour	Black
Motor power	2x 1060 Watt
Voltage	230 V 50/60 Hz
Airflow	98L/sec
Suction	2600 mm/wk
Container capacity	23 litre
Dust bag type	NVM-3BH NVM-3BM
Power cable length	26 m
Weight	20 kg
Dimensions	415 x 415 x 645 mm

CONSTRUCTION VACUUM CLEANERS

Two-motor NTD-series



NTD900



NTD900

- Filters hazardous wood and silica dust
- Two motors: 2 × 1060 W
- Extremely robust 40-litre Structofoam container
- Designed for prolonged, extremely intensive use thanks to additional cooling fins
- Convert for extraction at source using kit ND5



NTD900 with HE pre-separator set (page 20)

Type	NTD900
Item no.	918703
Kit	BS30
Colour	Black
Motor power	2x 1060 Watt
Voltage	230 V 50/60 Hz
Airflow	98L/sec
Suction	2600 mm/wk
Container capacity	40 litre
Dust bag type	NVM-4BH NVM-4BM
Power cable lenght	26 m
Weight	24 kg
Dimensions	800 x 490 x 880 mm

INDUSTRIAL VACUUM CLEANERS

Two or three motors

NTD2003 Stainless Steel

Two motors

NTT2003 Stainless Steel

Three motors



NTD2003 Stainless Steel

- Filters hazardous wood and silica dust
- Two motors: 2 × 1000 W
- Extremely robust 80-litre stainless-steel container
- Suitable for prolonged and extremely intensive use thanks to additional cooling fins

NTT2003 Stainless Steel

- Reliable performance across industrial applications
- Three motors: 3 × 1000 W
- Extremely robust stainless-steel motor head and container
- High-capacity machine with large transport wheels and pull handle

Type	NTD2003 RVS	NTT2003 RVS
Item no.	713224	713132
Kit	BS5	-
Colour	Silver	Silver
Motor power	2x 1000 Watt	3x 1000 Watt
Voltage	230 V 50/60 Hz	230 V 50/60 Hz
Airflow	91L/sec	136,5L/sec
Suction	2600 mm/wk	2600 mm/wk
Container capacity	80 litre	80 litre
Power cable lenght	26 m	26 m
Weight	37 kg	36 kg
Dimensions	560 x 660 x 1075 mm	560 x 660 x 1075 mm



FILTRATION

Dust bags

Dust bags, filtration and the unique Numatic concept

The old-fashioned practice of shaking or pulsing filters is no longer necessary. The Numatic method stands out thanks to its special dust bags, vacuum cleaner design and the use of pre-separators where needed. Each dust bag has several layers, creating a large filtration surface inside the bag. The container design maintains optimal airflow around the bag, preserving suction even as it fills. Once full, the bag can be sealed easily and disposed of without releasing dust. Installing a new dust bag means installing a new filter and starting with a clean machine. The dust bags are made from recyclable material, making them an environmentally conscious choice. They filter up to 99.88% of harmful dust, are extra strong to resist tearing and are easy to replace. Genuine Numatic dust bags provide improved airflow for greater suction power and optimum use of bag capacity.



NVM-1CH dust bag 9 litre

For 240 models; pack of 10
Item no. 604015



NVM-2BH dust bag 15 litre

For 370 models; pack of 10
Item no. 604016



Primary MicroTex filter

For 570 and 900 models
Item no. 604411



NVM-3BH stofzak (wood dust) 23 litre

For 570 models; pack of 10
Item no. 604017



NVM-4BH dust bag (wood dust) 40 litre

For 900 models; pack of 10
Item no. 604019



NVM-3BM Silica dust 23 litre

For 570 models; pack of 5
Item no. C852300



NVM-4BM Silica dust 40 litre

For 900 models; pack of 5
Item no. C852400



ACCESSOIRES

Adapters



Black Adapter

Maximum outside diameter Ø58 mm
maximum inside diameter Ø52 mm
Item no. 603070



Grey Adapter

Maximum outside diameter Ø44 mm
maximum inside diameter Ø44 mm
Item no. 603071



Blue Adapter

Maximum outside diameter Ø45 mm
maximum inside diameter Ø38 mm
Item no. 603072



Red Adapter

Maximum outside diameter Ø38 mm
maximum inside diameter Ø32 mm
Item no. 603073



ND5 adapters

Four adapters including a convenient storage bag
Item no. C864200

Adapters


The four differently coloured adapters (red, blue, grey and black) make it easy to connect machines to a vacuum cleaner or pre-separator.

Extraction at source is the most effective way to prevent airborne dust. The coloured adapters are slightly flexible and can be inserted into or slid over a connection.



Maximum outside diameter Ø mm

Maximum inside diameter
Ø mm



ACCESSOIRES

Dust extraction at source



Reinforced hose 51mm

5 m incl. double swivel connector: A500319
10 m incl. double swivel connector: A500366
per metre excl. connector: A500324



ESD hose 38mm

2.4 m incl. swivel connector and hose cuff: A500360
5 m incl. swivel connector and hose cuff: A500320
5 m incl. double swivel connector: A500339
per metre excl. connector: A500321



ESD hose 51mm

5 m incl. double swivel connector: A500341
10 m incl. double swivel connector: A500342
per metre excl. connector: A500334



Wrapped tapered hose 51-38mm

6 m incl. double swivel connector: A500575
6 m incl. swivel connector/Festool adapter: A500658
6 m excl. connectors: A500558



Hose swivel connector 38mm

Item no. 216182



Hose swivel connector 51mm

Item nr. 216167



Festool adapter for 38mm hose

Item no. A500199



Screw-on cuff 38mm

Item no. 216112



Screw-on cuff 51mm

Maximum outside diameter Ø58 mm
Maximum inside diameter Ø50 mm
Item no. A500421



Hose connector

Item no. 920604



Screw-on cuff 38mm

38 mm cuff with swivel adapter
Item no. 000016



Y-adapter

Item no. 330015

ACCESSOIRES

Vacuum accessory kits



Kit AST0

ProFlo 280 combination floor tool: 902923
32 mm straight stainless-steel tube: 601008
Telescopic tube: 601045
32 mm curved stainless-steel tube with NPC air regulator: 601052
32 mm tapered FloMax hose, 2.2 m: 915909
32 mm plastic crevice tool: 601142
32 mm dusting brush: 601144
32 mm mini upholstery nozzle with brush: 601147
32 mm plastic adapter: 601141



Kit AS24

300 mm combination floor tool: 902070
32 mm straight stainless-steel tube (2x): 601008
32 mm curved stainless-steel tube with NPC air regulator: 601052
32 mm NuFlex hose, 2.8 m: 914762
32 mm plastic crevice tool: 601142
32 mm dusting brush: 601144
32 mm mini upholstery nozzle with brush: 601147
32 mm plastic adapter: 601141



Kit BS30

Item no. A500240

38 mm adjustable MultiFlo floor tool: 602432
38 mm NuFlex hose, 5 m: 602109
38 mm curved stainless-steel tube: 602919
38 mm straight stainless-steel tube (2x): 602920
38 mm cuff with swivel adapter: 000016



Kit 38mm RVS 3-pieces

Item no. A500225

Structurofoam floor tool: 602431
long stainless-steel suction tube L1200 mm: 500469
51-38 mm cuff: 216112



Kit 38mm SS 5-pieces

Item no. A500200

Structurofoam floor tool: 602431
curved stainless-steel suction tube: 602919
straight stainless-steel suction tubes L440 mm: 602920
38 mm cuff with swivel adapter: 000016



Kit 38mm SS adjustable height

Item no. A500798

Height-adjustable floor tool L450 mm: A500671
curved stainless-steel suction tube: 602919
straight stainless-steel suction tubes L440 mm: 602920
38 mm cuff with swivel adapter: 000016



Kit 51mm SS adjustable height

Item no. A500665

Height-adjustable floor tool L450 mm: 500664
curved stainless-steel suction tube: 500666
straight stainless-steel suction tubes L500 mm: 500667
44-52 mm adapter: 500610

ACCESSOIRES

Floor tools and nozzles



38 mm Structofoam floor tool, L400 mm
Item no. 602431



38 mm combination floor tool, L300 mm
Item no. 602027



ProFlo floor tool, L400 mm
Item no. 602381



Height-adjustable floor tool – 38 mm
38mm L450mm: 602432
51mm L450mm: 603432



51 mm Delta floor tool, L450 mm
For two-motor models only
51 mm floor tool: 603114
51-38 mm reducer: 602459



38 mm suction tube extension
200mm: 602927



38 mm crevice tool, L305 mm
Item no. 602160



38 mm stainless-steel crevice tool
L305 mm Item no. 602925



38 mm stainless-steel crevice tool
L610 mm Item no. 602926



38 mm gulper nozzle, L130 mm
Item no. 602163



38 mm dusting brush
Stiff bristles: 602163
Soft bristles: 602161



38 mm banana-shaped suction nozzle
100 mm: 602168
200 mm: 602169

PRE-SEPARATORS

High Efficiency (HE)

Cutting channels for underfloor heating, grooves and pipework always generates large amounts of dust. A pre-separator is the solution. With an AIRBO two-motor construction vacuum and pre-separator, maximum suction power is maintained continuously.

Capturing dust before it reaches the vacuum prevents dust bags and filters from clogging, allowing maximum suction power for hours at a time. The irritating noise of filter cleaning is a thing of the past with a pre-separator. Welcome to the world of dust-free working!

"AIRBO's latest High Efficiency pre-separators capture more than 95% of both coarse and fine dust."



Unique in-house development

The latest AIRBO pre-separator has been developed in-house. It combines the optimal suction power of our two-motor construction vacuums with the centrifugal force of a cyclone to capture over 95% of all dust before it reaches the vacuum. This results in continuous, optimal airflow without loss of suction. The "clean" air containing only the finest dust is then filtered again by the fine-mesh filter bag.

Safe, practical and efficient.
The latest AIRBO pre-separator.

High Efficiency (HE)



PRE-SEPARATORS

Product range

No more loss of suction

The latest AIRBO pre-separator puts an end to full dust bags and loss of suction. This new generation captures more than 95% of both coarse and fine dust; only the very finest dust reaches the dust bag. Using an AIRBO pre-separator means you can cut channels all day without problems or loss of suction. Maximum suction power has never been so accessible!

HE



23-litre Structofoam pre-separator

Includes adapter, hose, swivel connector and screw-on cuff. HE models achieve dust separation of over 95%.
Item no. A501200

HE



40-litre Structofoam pre-separator

Includes adapter, hose, swivel connector and screw-on cuff. HE models achieve dust separation of over 95%.
Item no. A501201

HE



Wheelbarrow pre-separator

Wheelbarrow, upper container and cyclone. HE models achieve dust separation of over 95%.
Item no. A501204



Cyclone including mounting

Item no. A500307



Cyclone HE (high efficiency)

Item no. A501205



60-litre steel drum with lid

Item no. A500307

lid with holes for cyclone
Item no. A1001015



60-litre drum pre-separator

Includes adapter and hose with swivel connector. Standard cyclone separation rate approx. 90%.
Item no. A500305



Pre-separator trolley incl. push handle

Item no. A500479



1.5 m hose between cyclone and vacuum cleaner

200mm: A500929

COMPLETE AIRBO SETS

With Eco motors, integrated power socket and BS30 kit

HE

NED570A fine-dust vacuum
Item no. 918700

Type	AIRBO set
Item no.	A501207
Kit	BS30
Motor Power	2x 620 Watt
Voltage	230 V AC 50/60 Hz
Airflow	96L/sec
Container capacity	23 litre
Range	26 m

Pre-separator HE 23L
Item no. A501200

HE



AIRBO set A501209
NED570A fine-dust vacuum: 918700
complete HE 40 L Structofoam pre-separator: A501201

HE



AIRBO set A501211
NED900A fine-dust vacuum: 918701
complete HE 40 L Structofoam pre-separator: A501201

HE



AIRBO set A501213
NED570A fine-dust vacuum: 918700
complete HE 60 L Structofoam pre-separator: A500305
pre-separator trolley with push handle: A500479
38 mm stainless-steel vacuum kit (BS30): A500240



Connecting piece
Between 23 L vacuum cleaner
and 23 L pre-separator
Item no. A500252

COMPLETE AIRBO SETS

With bypass motors (without power socket) and BS30 kit

HE



AIRBO set A501206

NTD570 fine-dust vacuum: 918702
complete HE 23 L Structofoam pre-separator: A501200

HE



AIRBO set A501208

NTD570 fine-dust vacuum: 918702
complete HE 40 L Structofoam pre-separator: A501201

HE



AIRBO set A501210

NTD900 fine-dust vacuum: 918703
complete HE 23 L Structofoam pre-separator: A501200

HE



AIRBO set A501212

NTD900 fine-dust vacuum: 918703
complete HE 60 L Structofoam pre-separator: A500305
pre-separator trolley incl. push handle: A500479

HE



AIRBO set A501214

NTD900 fine-dust vacuum: 918703
complete HE 60 L Structofoam pre-separator: A500305
pre-separator trolley incl. push handle: A500479
2 m hose from cyclone to front-mounted nozzle: A500567
CC6 front-mounted suction nozzle (dry): A500737

HE

NTD900 fine-dust vacuum
Item no. 918703



Push handle for trolley

Fits item A500479
Item no. A500605

Push-handle mounting

For 30/40 L model
Item no. A500198

CC6 front-mounted suction

(dry), width 720 mm
Item no. A500737

Type	AIRBO set
Item no.	A100830
Kit	BS30
Motor Power	2x 1060 Watt
Voltage	230 V AC 50/60 Hz
Airflow	98L/sec
Container capacity	40 litre
Range	26 m

AIRBOX PRO


Air cleaners

AIRBOX Pro



AIRBOX Pro

- Filters 945 m³/h (depending on the selected filter package)
- Compact and lightweight
- Low energy consumption: 105 W
- Low noise level: max. 64 dB
- Available with different filter packages for construction or painting
- Includes LCD screen and individual filter test



Type	AIRBOX Pro
Item no.	A502500 Construction A502501 Carbon A502502 Paint
Colour	Black/Blue
Motor Power	105 Watt
Voltage	230 V 50 Hz
Airflow	750 m³/u
Capacity	Max. 945 m³/u
Noise	Max. 64 dB(A)
Weight	11,5 kg
Dimensions	460 x 540 x 410 mm

AIRBOX PRO

Product range



AIRBOX Pro Construction

Item no. A502500
Filters hazardous wood dust and fine dust.
Includes: pre-filter
Filter 8 AERO
Filter 9 CP
Filter 10 CP.

AIRBOX Pro Carbon

Item no. A502501
Also filters odours
Includes: pre-filter
Filter 7 - GP
Filter 8 - AERO
Filter 15 - Carbon Filter

AIRBOX Pro Paint

Item no. A502502
Filters fine dust and paint spray mist
Includes: pre-filter
Filter 7 - GP
Filter 8 - AERO
Filter 10 - CP



Pre-filter

Set of 5 pieces
Item no. A200206



Filter 7 - Paint GP

Item no. A200231



Filter 8 - AERO

Item no. A200232



Filter 9 - CP

Item no. A200233



Filter 10 - CP

Item no. A200234



Filter Carbon - 15

Item no. A200238



HEPA filter

Item no. A200236
Optional; filters up to 99.95%
Filter 13 - HEPA

DUST SHROUDS AND EXTRACTION

Accessories



DUSTBO Drill

Water and dust extraction when drilling holes up to 82 mm
Item no. A5020006



DUSTBO Fix3

Quickly and easily drill up to three adjacent holes for electrical wall sockets.
Includes integrated spirit level
Item no. A5020007



DUSTBO Aqua

Water and dust extraction when drilling holes up to 162 mm
Item no. A5020008



DUSTBO Home

Easily drill a hole without dust, up to 20 m (unit as printed in source)
Item no. A5020007



DrillFix 68

Secure your drill on tiles using the suction cup.
Suitable for drilling diameters Ø6 mm to Ø68 mm
Item no. A5020009



AIRBO dust shroud

Plastic dust shroud 125 mm: A500713
plastic dust shroud 180 mm: A500714



Stone Template

Ideal for determining the correct angle
Item no. A5020011



Tile Template

Ideal for transferring the correct measurement
Item no. A5020012

DUST SHROUDS AND EXTRACTION

Accessories




AirDuster

Universal dust extraction for 125 mm angle grinder
Item no. A5020000



AirDuster

Universal dust extraction for 230 mm angle grinder
Item no. A5020001



DUSTBO DTX

Dust shroud for demolition and chipping

Dust shroud fits SDS Plus,
SDS Max and Kango hexagonal chisels
Item no. A500329



AirChaser 125

Fits a 125 mm angle grinder. Cutting depth adjustable up to approx. 35 mm. Suitable for cutting channels using the supplied reducing nuts
Item no. A5020002



AirSlider 90

Fits a 125 mm angle grinder. Cutting depth adjustable up to approx. 35 mm. Suitable for grinding, among other things, floor tiles
Item no. A5020010



Slider 45

Fits a 125 mm angle grinder. Suitable for accurate 45-degree cutting with the extraction tube, with virtually no dust
Item no. A5020014

NOTES

NOTES

Numatic



Numatic International BV
Vennootsweg 15
2404 CG Alphen aan den Rijn
The Netherlands

Tel. +31 (0)172 467 999
E-mail info@numatic.nl
Internet www.airbo.nl
www.numatic.nl



Overmat Industries B.V.
Scharlo 11
NL-5165 NG Waspik
The Netherlands

Tel. +31 (0)416 317788
E-mail: info@overmat.nl
Internet: www.overmat.nl